Notice of Allowability	Application No.	Applicant(s)	Applicant(s)	
	10/626,001	SPAIN, THOMAS FR	RANCIS	
	Examiner	Art Unit		
	Hung C. Le	3663		
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comr IGHTS. This application is	in this application. If not included nunication will be mailed in due or	d ourse. THIS	
1. This communication is responsive to <u>02/02/2006</u> .			•	
2. The allowed claim(s) is/are <u>1 - 3, 5, 7, 10 - 23</u> .		•		
 Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received:	been received. been received in Applicat	ion No	on from the	
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		le a reply complying with the requ	uirements	
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached Exes reason(s) why the oath	KAMINER'S AMENDMENT or NC or declaration is deficient.	TICE OF	
5. X CORRECTED DRAWINGS (as "replacement sheets") must be submitted.				
(a) 🛛 including changes required by the Notice of Draftspers		ew (PTO-948) attached		
1) 🖾 hereto or 2) 🔲 to Paper No./Mail Date				
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment	or in the Office action of	. .	
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in t			oack) of	
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.				
Attachment(s)				
1. Notice of References Cited (PTO-892)		nformal Patent Application (PTO-	-152)	
2. Notice of Draftperson's Patent Drawing Review (PTO-948)		Summary (PTO-413), o./Mail Date <i>As attached</i> .		
3. Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date		s Amendment/Comment		
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. ⊠ Examiner' 9. □ Other	s Statement of Reasons for Allow	vance	
PRIMARY EXAMINER	•			

DETAILED ACTION

EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Jennie Shufelt on 03/29/06.

- 1) Claim 9 has been cancelled.
- 2) "composition," (claim 1, line 5) has been changed to: --composition, located between said arched opening and said plurality of openings,--
- 3) "said guide tool;" (claim 12, line 7) has been changed to: --said guide tool, wherein said concavity is located between said arched opening and said plurality of openings;--.

REASONS FOR ALLOWANCE

The following is an examiner's statement of reasons for allowance:

The closest prior of record include:

Art Unit: 3663

M. Waranch (3,087,984) discloses a guide tool (50) of solid composition for organizing and identifying a plurality or pluralities of wires or cables (18), said guide tool (50) comprising:

- (a) an arched opening (see FIG. 1) at an edge of said guide tool (50);
- (b) a plurality of openings (17, 19 & 20) arranged in a spaced apart curvilinear relationship;

wherein said arched openings and said plurality of openings are spatially arranged on said solid composition so that a plurality of wires or cables (18) may temporarily be inserted through said plurality of openings and that said guide tool (50) may be moved along said plurality of wires (18) while a bundle of wires or cable (18) may simultaneously pass through said arched openings (see FIG.1).

However, Waranch is lacking the following limitations as claimed in claim 1:

(c) a concavity in said solid composition, located between said arched openings and said plurality of openings.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hung C. Le whose telephone number is 571-272-8757. The examiner can normally be reached on M-F: 07:30 am - 04:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, George Nguyen can be reached on 571-272-4491. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

HCL 04/06/06